




Rough-In Requirement: 35mm Mounting Hole

MODEL / PRODOTTO

1S.2992.59.92


PRODUCT COMPLIANCE:

REACH 1907/2006;
BWGL UBA verified by DVGW CERT third-party, except for
blue and grey spray valve.

TITLE / DESCRIZIONE

STYL Single hole, deck-mount, mixing faucet, G3/8"
female inlets. Brass, chrome plated. Nozzle 20x300x158.
Grey sanitary lever, L.220mm, Ø40 ceramic cartridge.


SALES NO.	DESCRIPTION
0P.P015.00.00	Aerator F22x1 for Ø20 spout
0P.P103.00.00	O-Ring for STYL spouts Ø20 (Ø14.3x3)
0P.C059.00.00	STYL 20x300x158 J-shaped spout with fixing cup



TITLE / DESCRIZIONE

0P.C059.00.00 - SPARE PARTS

SALES NO.	DESCRIPTION
0P.H002.00.00	GREY Sanitary lever, L.220mm - with logo
0P.VP0	Cartridge Ø40mm for PISA handle
0P.P348.00.00	Fixing kit
0P.F098	L.35cm S.S. Flex Hose Ø12 Female G3/8" (Long)
0P.F132	L.35cm S.S. Flex Hose Ø12 Female G3/8" (short)



TITLE / DESCRIZIONE

BODY FAUCET, INLETS AND LEVER SPARE PARTS